



**KINGWALT**

# VANSHI IMPEX LLP.

ALL TYPE OF METAL CUTTING BANDSAW  
MACHINE MANUFACTURER



**KINGWALT**



**KINGWALT**



Paravati Co-Op Industrial Estate Ltd.  
YADRAV Tal : Shirol, Dist : Kolhapur  
416 145. Maharashtra, India.



89993 37366  
80970 19293



[vanshiimpexllp@gmail.com](mailto:vanshiimpexllp@gmail.com)

The Promise of  
Quality & Value



# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

Model : KW Super - 225

  
**KINGWALT**

## METAL CUTTING BANDSAW MACHINE



**High Quality  
Clamping Vice**



**German Technology  
Blade Guide**

### TECHNICAL SPECIFICATION

MODEL	KW SUPER 225	KW SUPER STEEL MASTER 225	KW SUPER 300	KW SUPER STEEL MASTER 330
Cutting Cap Round	225 (mm)	225 (mm)	300 (mm)	330 (mm)
Cutting Cap Square	150x300(mm)	150x300(mm)	250x300(mm)	250x400(mm)
<b>DRIVE</b>				
Drive Motor (HP, RPM)	1.0HP-1440 RPM	2.0HP-1440RPM	2HP-1440RPM	3HP-1440RPM
Coolant Pump (HP, RPM)	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM
Blade Speed (M/Min)	20 To 75	15 To 70	20 To 75	15 To 70
<b>Saw Blade Size</b>				
Length	3000 (mm)	3000 (mm)	3760 (mm)	3760 (mm)
Width	27 (mm)	27 (mm)	27 (mm)	34 (mm)
Thickness	0.9 (mm)	0.9 (mm)	0.9 (mm)	1.1(mm)
<b>Floor Space</b>				
Length	650 (mm)	650 (mm)	740 (mm)	740 (mm)
Width	1570 (mm)	1570 (mm)	1940(mm)	1940(mm)
Height	1060(mm)	1090 (mm)	1200 (mm)	1200(mm)
Work Height From Floor	580 (mm)	580 (mm)	600(mm)	600 (mm)
<b>Weight</b>	360kg Appx.	370kg Appx.	650kg Appx.	700kg Appx.

Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com



The Promise of  
Quality & Value

**Manual Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

  
**KINGWALT**

**Model : KW Stornger - 225/300/330/400**



- Strong Column type
- German Technology Blade Guide
- High Quality Hydraulic Clamping Vice
- Job Feeder Roller
- Arm Up and Down Hydraulic



## TECHNICAL SPECIFICATIONS:

MODEL	KW STORNGER 225	KW STORNGER 300	KW STORNGER 330	KW STORNGER 400
Cutting Cap Round	225 (mm)	300 (mm)	330 (mm)	400 (mm)
Cutting Cap Square	200x200(mm)	300x300(mm)	300x400(mm)	400x500(mm)
<b>DRIVE</b>				
Drive Motor (HP, RPM)	1.0HP-1440 RPM	2HP-1440RPM	3HP-1440RPM	3HP-1440RPM
Hydraulic Motor(HP, RPM)	0.5HP- 440 RPM	0.5HP-1440RPM	0.5HP-1440RPM	0.1HP-1440RPM
Coolant Pump (HP, RPM)	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM
Blade Speed (Mt/Min)	30-45-70	30-45-62	30-45-62	30-45-62
<b>MACHINE SPECIFICATIONS</b>				
Saw Blade Bi-metal				
Length	3000 (mm)	3760(mm)	4100 (mm)	4650 (mm)
Width	27 (mm)	34 (mm)	34 (mm)	34 (mm)
Thickness	0.9 (mm)	1.1 (mm)	1.1(mm)	1.1(mm)
<b>Floor Space</b>				
Length	900 (mm)	950 (mm)	1320 (mm)	1700 (mm)
Width	1570 (mm)	1900(mm)	1910(mm)	2230(mm)
Height	1370 (mm)	1500 (mm)	2060(mm)	2200(mm)
Work Height From Floor	690 (mm)	690(mm)	690 (mm)	500(mm)
<b>Weight</b>	570kg Appx.	800kg Appx.	980kg Appx.	1300kg Appx.

Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value

**Manual Machine**



# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

  
**KINGWALT**

**Model : KW Classic - 225**

## METAL CUTTING BANDSAW MACHINE



**High Quality  
Clamping Vice**



**German Technology  
Blade Guide**

### TECHNICAL SPECIFICATION

MODEL	KW CLASSIC 225	KW STEEL MASTER 225	KW CLASSIC 300	KW STEEL MASTER 330
Cutting Cap Round	225 (mm)	225 (mm)	300 (mm)	330 (mm)
Cutting Cap Square	150x300(mm)	150x300(mm)	250x300(mm)	250x400(mm)
<b>DRIVE</b>				
Drive Motor (HP, RPM)	1.0HP-1440 RPM	2.0HP-1440RPM	2HP-1440RPM	3HP-1440RPM
Coolant Pump (HP, RPM)	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM	0.15HP-2800RPM
Blade Speed (M/Min)	20 To 75	15 To 70	20 To 75	15 To 70
<b>Saw Blade Size</b>				
Length	3000 (mm)	3000 (mm)	3760 (mm)	3760 (mm)
Width	27 (mm)	27 (mm)	27 (mm)	34 (mm)
Thickness	0.9 (mm)	0.9 (mm)	0.9 (mm)	1.1(mm)
<b>Floor Space</b>				
Length	650 (mm)	650 (mm)	740 (mm)	740 (mm)
Width	1570 (mm)	1570 (mm)	1940(mm)	1940(mm)
Height	1060(mm)	1090 (mm)	1200 (mm)	1200(mm)
Work Height From Floor	580 (mm)	580 (mm)	600(mm)	600 (mm)
<b>Weight</b>	360kg Appx.	370kg Appx.	650kg Appx.	700kg Appx.

Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com



The Promise of  
Quality & Value

**Manual Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

  
**KINGWALT**


**Model : KW MBS - 180**

## METAL CUTTING BANDSAW MACHINE



### TECHNICAL SPECIFICATIONS:

MODEL	KW MBS - 180
Cutting Cap Round	180 (mm)
Cutting Cap Square	160x150(mm)
<b>DRIVE</b>	
Drive Motor (HP, RPM)	HP1.0 RPM1440
Coolant Pump (HP, RPM)	0.35
Blade Speed (M/Min)	20 To 75
Gear Box	Yes
<b>Saw Blade Size</b>	
Length	2910(mm)
Width	27 (mm)
Thickness	0.9 (mm)
<b>Floor Space</b>	
Length	1350(mm)
Width	850 (mm)
Height	1300 (mm)
Work Height From Floor	600 (mm)
<b>Weight</b>	<b>310kg</b>



Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value

**Manual Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

**Model : KW Steel Master - 150A**



**KINGWALT**



- . New Processing
- . New Design
- . Automatic Band Saw
- . PLC With HMI System

\*150 automatic band sawing machine, evolution from Steel Master 150A series  
Sawing speed 50% higher, saw blade life 50% longer  
Machining accuracy 50% increased, equipment service life 50% higher

\*Intelligent welding: robot welding, surpassing the limit of manual operation to ensure stability, uniformity and consistency

\*Precision assembly: years of technology accumulation, process assembly, stable and efficient operation of equipment

\*This machine is an equipment for sawing metal materials by bimetallic saw blades. It has the advantages of compact structure, fast cutting speed, high precision, narrow saw gap, low noise, convenient operation, etc. It is a new energy-saving product that replaces circular saws and hack saws.

\*Widely used in various industries such as electromechanical, metallurgy, automobile, bridge, ship, etc., sawing various metal materials

## KW STEEL MASTER 150A

### TECHNICAL SPECIFICATIONS:

MODEL	KW STEEL MASTER 150A
Cutting Cap Round	150(mm)
Cutting Cap Square	150x150(mm)
<b>DRIVE</b>	
Drive Motor (HP, RPM)	HP 2 RPM1440
Coolant Pump (HP, RPM)	HP0.15 RPM2800
Hydraulic Motor (HP, RPM)	HP 1 RPM1440
Feeding Motor (HP, RPM)	HP 0.75 RPM960
Blade Speed (Mt/Min)	30-50-70
<b>MACHINE SPECIFICATIONS</b>	
Saw Blade Size	
Length	3000 (mm)
Width	27 (mm)
Thickness	0.9 (mm)
<b>Floor Space</b>	
Length	850 (mm)
Width	1600 (mm)
Height	1100(mm)
Work Height From Floor	630 (mm)

Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value



**Fully Automatic  
Band Saw Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

  
**KINGWALT**

**Model : KW DC - 330**



**ANGLE CUTTING  
BANADSAW MACHINE**



## TECHNICAL SPECIFICATIONS:

MODEL	KW DC - 330
Cutting Cap Round	330(mm)
Cutting Cap Square	330x400(mm)

DRIVE	
Drive Motor (HP, RPM)	HP 2 RPM1440
Coolant Pump (HP, RPM)	HP0.15 RPM2800
Blade Speed (Mt/Min)	25-90

MACHINE SPECIFICATIONS	
Saw Blade Bi-metal	
Length	3760 (mm)
Width	27 (mm)
Thickness	0.9 (mm)
<b>Floor Space</b>	
Length	1100 (mm)
Width	1900 (mm)
Height	1600(mm)
Work Height From Floor	830 (mm)

Angle		
<b>0°</b>	330MM	330 X 400 MM
<b>45°</b>	300MM	250 X 330 MM
<b>60°</b>	170MM	160 X 330 MM

**Vanshi Impex LLP.** reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexlp@gmail.com

**The Promise of  
Quality & Value**




# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

Model : KW DC SWIVEL - 330

  
**KINGWALT**



ANGLE CUTTING  
BANADSAW MACHINE



## TECHNICAL SPECIFICATIONS:

MODEL	KW DC SWIVEL - 330
Cutting Cap Round	330(mm)
Cutting Cap Square	330x400(mm)

DRIVE	
Drive Motor (HP, RPM)	HP 2 RPM1440
Coolant Pump (HP, RPM)	HP0.15 RPM2800
Blade Speed (Mt/Min)	25-90

MACHINE SPECIFICATIONS	
Saw Blade Bi-metal	
Length	3760 (mm)
Width	27 (mm)
Thickness	0.9 (mm)
<b>Floor Space</b>	
Length	1100 (mm)
Width	1900 (mm)
Height	1600(mm)
Work Height From Floor	830 (mm)

Angle		
0°	330MM	330 X 400 MM
45°	300MM	250 X 330 MM
60°	170MM	160 X 330 MM

Vanshi Impex LLP. reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by :

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexlp@gmail.com

The Promise of  
Quality & Value

॥ श्री गणेशाय नमः ॥

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

## Horizontal Band Saw Machine

Model : HBM - 250

  
**KINGWALT**



- **Precise Cut Length Setting**
- **Hydraulic power pack with Direction Control Valves**
- **High Productivity**
- **Low Cost**

The Promise of  
Quality & Value

**Fully Automatic**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer



## Model : HBM - 250

The machine with a capacity to cut up to 250 mm diameter in distinguished by its robust and compact construction and its capability to cut a wide range of materials with maximum productivity. It is designed for use of Bi-metal bandsaws.

- It is suitable for cutting bars in bundles, tubes and different profiles.
- Wide and stepless range of cutting speeds.
- Length of cut can be set on Mechanical counter digit display within 0.1 mm and up to a maximum of 400 mm in single stroke.
- Number of pieces to be cut can be programmed and machine will stop after programmed number of pieces are cut.
- For longer cutting lengths multi-indexing up to 9 x 400 mm i.e. 3600 mm is feasible

### Standard Features :

- Infinitely variable speed drive for band.
- Precise hydraulic down feed system.
- Shuttle type auto hydraulic feed.
- Hydraulic dual vice clamping system. | Floating vice.
- Programming No. of pieces with auto-shut-off.
- Spring loaded carbide blade guides.
- Out of stock shut-off.
- Power driven blade cleaning brush.
- Ideal wheel motion detector with blade stalling and breakage shut-off.
- Multiple indexing for longer length cutting.
- Split front vice.
- Rapid approach & auto work height control.
- Coolant System.
- Gear box with worm & worm wheel.
- One Bi-metal band saw blade.
- Operating tool kit, spanner & Manual. | Machine lamp.

### Optional Accessories :

- Nesting fixture for bundle clamping for max. width 100-150 mm and height 50-100 mm.
- Roller stock table for 1.5 meter long.
- Variable vice pressure.
- Hydraulic band tensioning.
- Variable frequency drive.

**Vanshi Impex LLP.** reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by : \_\_\_\_\_

## Vanshi Impex LLP.

Paravati Co-Op Industrial Estate Ltd.  
YADRAV, Tal : Shirol, Dist : Kolhapur - 416 145. Maharashtra, India.

- Mobile : 89993 37366 / 80970 19293
- Email : vanshiimpexllp@gmail.com

### Specification :

Cutting Capacity		∅ 250mm □ 260 x 225 mm
Blade Size		3505 x 34 x 1.1 mm
Blade Speed		25 - 100 m/min(Stepless)
Blade Tension		Hydraulic Band Tension
Shuttle Feed	Single stroke	400 mm
	Multiple stroke	9 x 400 mm
Work table height		700 mm
Motors	Blade drive	3.0 HP
	Hydraulic	1.5 HP
	Coolant	0.125 HP
Machine weight		1250 Kg
Floor area L x B x H		1975 x 1900 x 1740 mm

The Promise of  
Quality & Value

**Fully Automatic**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer



**Model : KW - 330B**



- New processing

- New design

Automatic band saw

Touching screen and

Buttons dual operation

automatic band sawing machine, evolution from Atal series Sawing speed 50% higher, saw blade life 50% longer Machining accuracy 50% increased, equipment service life 50% higher

Intelligent welding: robot welding, surpassing the limit of manual operation to ensure stability. Uniformity and consistency

The Promise of  
Quality & Value


**Fully Automatic  
Band Saw Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

**Model : KW - 330B**

**KINGWALT**<sup>®</sup>



- Precision assembly: years of technology accumulation, process assembly, stable and efficient operation of equipment

This machine is an equipment for sawing metal materials by bimetallic saw blades. It has the advantages of compact structure, fast cutting speed, high precision, narrow saw gap, low noise, convenient operation, etc. It is a new energy-saving product that replaces circular saws and hack saws.

- Widely used in various industries such as electromechanical, metallurgy, automobile, bridge, ship, etc., sawing various metal materials

The Promise of  
Quality & Value

**Fully Automatic  
Band Saw Machine**

**VANSHI IMPEX LLP.**

All Type Of Metal Cutting Band Saw Machine Manufacturer

**Model : KW - 330B**

Model Number	Kw 330 Manual	Kw 330 Auto	Kw 430 Manual	Kw 430 Auto	Kw 530 Manual
Cutting Capacity (MM)	m 330 □ 330W x 330H	m 330 □ 330W x 330H	m 430 □ 430W x 430H	m 430 □ 430W x 430H	m 530 □ 530W x 530H
Saw Blade Size (MM)	4100x34x1.1	4100x34x1.1	5100x41x1.3	5100x41x1.3	6200x41x1.3
Saw Blade Speed (M/Min)	0-80	0-80	0-80	0-80	0-80
Saw Motor (Hp ,Kw)	5Hp , 3.75Kw	5Hp , 3.75Kw	7Hp , 5.25Kw	7Hp , 5.25Kw	10Hp , 5.25Kw
Hydraulic Motor (Hp ,Kw)	1Hp , 0.75Kw	1Hp , 0.75Kw	1.5Hp , 1.12Kw	1.5Hp , 1.12Kw	2Hp , 1.5Kw
Coolant Motor (Kw)	0.18 Kw	0.18 Kw	0.18 Kw	0.18 Kw	0.18 Kw
Hydraulic Tank (L)	60	60	60	60	60
Coolant Tank (L)	50	50	80	80	100
Table Height (MM)	685	685	745	745	780
Work piece Clamping	Hydraulic Vice	Hydraulic Vice	Hydraulic Vice	Hydraulic Vice	Hydraulic Vice
Blade Tension Hydraulic	NO X	YES ✓	NO X	YES ✓	YES ✓
Main Drive	Worm wheel Drive	Worm wheel Drive	Helical gear wheel Drive	Helical gear wheel Drive	Helical gear wheel Drive
Multiple Feed	500mm x 9times	500mm x 9times	500mm x 9times	500mm x 9times	500mm x 9times
NC Control	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Power Blade Cleaning Brush	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Automatic Feed Roller	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Working Light	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Saw Frame Height Selector Gauge	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Bundle Cutting Device	NO X	YES ✓	NO X	YES ✓	NO X
Out Feed With Auxiliary Plate Table	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
One Piece Of Bi-metal Saw Blade	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
One Set Of Tools With Tools Box	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Blade Speed Control Type	VFD With Step Drive	VFD With Step Drive	VFD Drive	VFD Drive	VFD Drive
Automatic Chip Conveyor	NO X	YES ✓	NO X	YES ✓	YES ✓
Free Drive Roller Table	NO X	YES ✓	NO X	YES ✓	NO X
Safety System	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Floating Vice Device	NO X	YES ✓	NO X	YES ✓	NO X
Blade Detection Device	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Material Detection Device	YES ✓	YES ✓	YES ✓	YES ✓	YES ✓
Machine Dimension	2350x2250x1550	2350x2250x1550	2750x2410x1710	3300x2000x2000	3300x2000x2000
Machine Wight Kg	2100kg	2300kg	2500kg	2700kg	3200kg

The Promise of  
Quality & Value**Fully Automatic  
Band Saw Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer



**Model : KW - 330B**

Model Number	Kw 330SA	Kw 430SA	Kw 530SA
Cutting Capacity (MM)	m 330 □ 330W x 400H	m 430 □ 430W x 500H	m 530 □ 530W x600H
Saw Blade Size (MM)	4100x34x1.1	5100x41x1.3	6350x41x1.3
Saw Blade Speed (M/Min)	0-80	0-80	0-80
Saw Motor (Hp ,Kw)	5Hp , 3.75Kw	7Hp , 5.25Kw	10Hp , 5.25Kw
Hydraulic Motor (Hp ,Kw)	1Hp , 0.75Kw	1.5Hp , 1.12Kw	2Hp , 1.5Kw
Coolant Motor (Kw)	0.18 Kw	0.18 Kw	0.18 Kw
Hydraulic Tank (L)	30	40	50
Coolant Tank (L)	50	70	80
Table Height (MM)	685	745	780
Work piece Clamping	Hydraulic Vice	Hydraulic Vice	Hydraulic Vice
Blade Tension Hydraulic	YES ✓	YES ✓	YES ✓
Main Drive	Worm wheel Drive	Helical gear wheel Drive	Helical gear wheel Drive
Power Blade Cleaning Brush	YES ✓	YES ✓	YES ✓
Working Light	YES ✓	YES ✓	YES ✓
Saw Frame Height Selector Gauge	YES ✓	YES ✓	YES ✓
One Piece Of Bi-metal Saw Blade	YES ✓	YES ✓	YES ✓
One Set Of Tools With Tools Box	YES ✓	YES ✓	YES ✓
Blade Speed Control Type	VFD With Step Drive	VFD Drive	VFD Drive
Blade Detection Device	YES ✓	YES ✓	YES ✓

The Promise of  
Quality & Value

**Fully Automatic  
Band Saw Machine**

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer



**Model : KW - 330B**

## OUR AIM

Our aim has ever been to first cater satisfactorily to our customer's expectations regarding the quality.

## THE FUTURE

Looking at the present growth in the steel industry, one can envisage the higher demand for equipment.

## PRODUCT QUALITY

As a quality centric organization, we implement a quality management system to design the product.

## OUR VALUES

### FOCUS

We are highly focused on the manufacturing of the best quality Band Saw machines in this field.

### PASSION

We work with passion to build increasingly precise, productive and reliable bandsaws. When you buy a V-Tech bandsaw you are buying quality!

### TEAMWORK

Our team has professionals skilled so our team can work together to achieve exceptional results.

**Vanshi Impex LLP.** reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by : \_\_\_\_\_

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.

YADRAV Tal : Shirol, Dist : Kolhapur 416 145. Maharashtra, India.

● Mobile : 89993 37366 / 80970 19293

● Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value

**Fully Automatic  
Band Saw Machine**



॥ श्री गणेशाय नमः ॥

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

## Double Column Band saw Machine

Model : DCA - 250

  
**KINGWALT**



- **Precise Cut Length Setting**
- **Hydraulic power pack with Direction Control Valves**
- **High Productivity**
- **Low Cost**

The Promise of  
Quality & Value

***Fully Automatic***

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

Model : DCA - 250

  
**KINGWALT**

## Precise cut length setting

A convenient digital read out control located at the operators station provide easy selection of precise bar length requirement. The digital read out is calibrated in 0.10mm and can be re-positioned without interruption to cutting cycle. Auto Head Elevation & quick approach.

Raising the blade higher than necessary to clear the work for the next cut waste time. Head elevation is controlled automatically and no longer requires the operator's attention.

A control device that senses the size of the work piece permits the saw head to raise just high enough so that the blade clears the work. This reduces the index cycling time significantly.

## Nesting Fixture

The Hydraulically operated nesting fixture is designed for high production multiple sawing of stacked polish bars, small rounds & tubes. The fixture consists of vertical cylinder for Front fix vice & Index shuttle vice. It hold the stacked bars firmly & prevents centre bars from turning.

## Standard Features

- Hydraulic power pack with Direction Control Valves,
- High efficiency gear box with worm wheel worm shaft
- Stepped pulley drive with 5 speed
- Indexing shuttle vice for automatic bar feeding.
- Automatic Machine OFF, in case of Blade Breakage.
- Induction Hardened & Hard chrome plated Columns with bellows.
- Automatic height adjustment for saw frame to save idle time.
- Floating Vice jaw to accommodate Bend bars.
- Power driven wire brush for effective chip cleaning.
- Length setting thru sico Meter & Lead screw arrangement.

## Cut piece counter & Index counter

The cutting piece counter is used to preset the number of cuts require on automatic operation. When the counter reaches the preset number the saw automatically stops. The Index counter makes it possible to multiply the no. Of index cycles when pieces longer than 400mm required.

## Idle wheel motion detector

This device not only can protect the saw blade from damage if the blade overloads during cutting, but also shut off the machine if the blade breaks.

## Floating vice jaws

For un-interrupted cutting cycle Float to rear fix jaw is provided to accommodate slight bend bars without sucking in auto cycle.

## Variable Frequency Drive (Optional)

Variable frequency drive Facilitates to vary the blade speed infinite variable between 20-100 meter / minute. LED Band speed indicator also can fit on control panel to ease of control to operator to select the band speed. (This is optional feature).

## Standard Accessories

- Bimetal Bandsaw blade mounted on machine 01 No.
- Allen key & spanner set
- Chip Brush 02 Nos.
- Instructional Manual.

## Optional Accessories

- Nesting fixture assembly for Bundle cutting
- Roller table for 1500mm length, 1000kg load capacity.
- Variable speed blade drive with Frequency Drive VFD.
- Bi-metal Bandsaw blade 3505 x 27 x 0.9 mm
- 2 Years spare kit to meet Emergency needs.
- Chip Brush/Oil seal kit/ All belts/ Carbide wear part set/Glass Fuse/ Limit switch.
- Hydraulic Band Tension

Specifications		DCA - 250
Cutting capacity	mm	Ø 250, □ 250 X 250
Bundle cutting	mm	150 W X 100 H
Blade size	mm	3505 X 27 X 0.9
Blade speed	M /min	20/40/60/80/100
Blade speed	M /min	Stepped Pulley
Optional		20-100
Index Feed Length	mm	400
Blade Tension		Spring loaded Manual
Drive Motor	HP	3
Hydraulic Motor	HP	1
Coolant Motor	HP	0.15
Chip Brush		Positive Drive
Machine Size	L X W X H	1700 X 1700 X 1700
Machine weight	KG	1400

**Vanshi Impex LLP.**

*Reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.*

Manufactured by : \_\_\_\_\_

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.  
YADRAV, Tal : Shirol, Dist : Kolhapur - 416 145. Maharashtra, India.

- Mobile : 89993 37366 / 80970 19293
- Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value

**Fully Automatic**

॥ श्री गणेशाय नमः ॥

# VANSHI IMPEX LLP.

All Type Of Metal Cutting Band Saw Machine Manufacturer

  
**KINGWALT**



## We Support Make in India

**Vanshi Impex LLP** reserves the rights to change the specifications without any prior notice for its product up gradation & modifications.

Manufactured by : \_\_\_\_\_

**Vanshi Impex LLP.**

Paravati Co-Op Industrial Estate Ltd.  
YADRAV, Tal : Shirol, Dist : Kolhapur- 416 145. Maharashtra, India.

- Mobile : 89993 37366 / 80970 19293
- Email : vanshiimpexllp@gmail.com

The Promise of  
Quality & Value



**KINGWALT**

**VANSHI IMPEX LLP.**



Paravati Co-Op Industrial Estate Ltd.  
YADRAV Tal : Shirol, Dist : Kolhapur  
416 145. Maharashtra, India.



89993 37366  
80970 19293



[vanshiimpexlp@gmail.com](mailto:vanshiimpexlp@gmail.com)